

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---------------|---|------------------|---------|------------------|
| S1 | 2 | "20050210041" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/17 15:23 |
| S2 | 2 | "20040044863" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:22 |
| S3 | 2 | "20030115204" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:23 |
| S4 | 2 | "6535967".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:37 |
| S5 | 2 | "20020174306" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:39 |
| S6 | 2 | "6480963".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:39 |
| S7 | 2 | "6446176".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:40 |
| S8 | 2 | "20020065835" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:41 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S9 | 2 | "5576903".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:41 |
| S10 | 2 | "5369532".pn. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/18 18:42 |
| S11 | 8458 | storage near2 (subsystem or sub-system or (sub adj system)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 14:59 |
| S12 | 1069 | (storage near2 (subsystem or sub-system or (sub adj system))) with (first or second) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 14:59 |
| S13 | 1025 | S12 and second | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 14:59 |
| S14 | 1021 | S13 and first | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:00 |
| S15 | 1021 | S14 and first and second | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:00 |
| S16 | 6 | S15 and (management near2 rule) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:01 |

EAST Search History

| | | | | | | |
|-----|-------|-----------------------------------|---|----|----|------------------|
| S17 | 65781 | (data near2 management) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:02 |
| S18 | 684 | S17 and (management near2 rule) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:02 |
| S19 | 6 | S18 and (data near2 retention) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:03 |
| S20 | 7866 | data near2 retention | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:04 |
| S21 | 42 | S20 and (file near2 header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:04 |
| S22 | 13 | S21 and relocat\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:26 |
| S23 | 1 | S22 and (relocat\$4 near2 server) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:05 |
| S24 | 785 | (data adj file) near2 header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:26 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|----|------------------|
| S25 | 288 | S24 and (rule or (management adj rule)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:26 |
| S26 | 45 | S25 and (storage adj (location or system)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:32 |
| S27 | 2 | S26 and (retention or relocation) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:27 |
| S28 | 28 | S26 and notif\$4 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/04/26 15:28 |
| S29 | 4 | (data adj file) with (management adj rule) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:21 |
| S30 | 344 | (data adj file) near3 rule | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:21 |
| S31 | 6 | S30 and (first adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:22 |
| S32 | 3 | S31 and (second adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:34 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S33 | 5803 | data adj retention | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:34 |
| S34 | 6 | S33 and (data near2 file near2 header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:37 |
| S35 | 4 | S33 and ((data adj file) near3 header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:37 |
| S36 | 6 | S33 and ((data adj file) with header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:37 |
| S37 | 1 | S33 and ((data adj file) with header with rule) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:38 |
| S38 | 1 | S33 and ((data adj file) same (header with rule)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:38 |
| S39 | 2 | S33 and (data adj file) and(header with rule) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:43 |
| S40 | 2 | insert\$4 with rule with data with file with header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/05/26 16:49 |

EAST Search History

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S41 | 1033 | (data adj file) near3 header | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 13:03 |
| S42 | 9 | S41 and (retention near2 (data or information or metadata or meta-data or (meta adj data))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:31 |
| S43 | 884 | data adj management adj program | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:31 |
| S44 | 1 | S43 and (data adj retention) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:32 |
| S45 | 61 | S43 and (storage adj system) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:33 |
| S46 | 1 | S45 and retention | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:41 |
| S47 | 5827 | data adj retention | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:41 |
| S48 | 173 | S47 and ((first or second) adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:42 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S49 | 142 | S48 and (second adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:42 |
| S50 | 116 | S49 and (first adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:42 |
| S51 | 116 | S50 and ((first or second) adj storage) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/05 14:43 |
| S52 | 2 | S51 and (retention adj policy) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:13 |
| S53 | 758 | data adj management adj server\$1 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:12 |
| S54 | 1 | S53 and (data adj protection adj server\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:12 |
| S55 | 1 | S53 and (protection adj server\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:13 |
| S56 | 1 | S53 and (data adj relocation adj server\$1) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:25 |

EAST Search History

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S57 | 5836 | data adj retention | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:25 |
| S58 | 69 | S57 and (retention adj (rule\$1 or polic\$4)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:38 |
| S59 | 8 | S58 and (file with header) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:26 |
| S60 | 1 | S57 and ((retention adj (rule\$1 or polic\$4)) with (data adj file)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:28 |
| S61 | 7 | S58 and (header adj (data or information)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 11:39 |
| S62 | 8 | data adj protection adj server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 16:34 |
| S63 | 776 | (data adj protection) with (data near2 stor\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:26 |
| S64 | 10 | S63 and (data adj retention) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:24 |

EAST Search History

| | | | | | | |
|-----|----|--|---|----|----|------------------|
| S65 | 27 | (data adj protection adj program) with (data near2 stor\$4) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:27 |
| S66 | 1 | S62 and (protection adj program) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 14:31 |
| S67 | 2 | data adj relocation adj server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 16:34 |
| S68 | 27 | (relocate near2 data) with server | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2006/06/06 16:34 |